

VEGETABLE SLICER / TABLE TOP FOOD PROCESSOR

COMBINED ACCESSORIES














EASYMIX FOR MASTER OR SMX SERIES





SERVOMIX



FOR MASTER OR SMX SERIES

Dynamic is represented in \$\mathbf{O}\$ 120 COUNTRIES

NORTH AMERICA

USA / Canada

Tel.: +1-800-267-7794 - +1-514-956-0127 Fax: +1-877-668-6623 - +1-514-956-8983 info@dynamicmixers.com



Canada

Montreal, Quebec 3227 Boul. pitfield - H4S-1H3

www.dynamicmixers.ca




USA

1320 route 9 # 1352 Champlain, NY - 12919

www.dynamicmixersusa.com



518 rue Léo Baekeland BP57 - 85290 Mortagne-sur-Sèvre FRANCE www.dynamicmixers.com





Tel. +49 (0)7851 886 45-0 Fax +49 (0)7851 886 45-32

info@dynamic-professional.de

Robert-Koch-Strasse 7 77694 Kehl

www.dynamic-professional.de





ENGINEERED FOR professionnals

Each of our devices is designed to provide you with the professional performance essential to fulfilling your passion.





DESIGNED TO BE repaired

Our products are designed to be easily repairable, disassembled, and reassembled. DYNAMIC is committed to ensuring that its products are repairable for 10 years in France and worldwide, and guarantees the immediate availability of spare parts.

A rigorous renewal and stock monitoring process ensures quick supply to every customer around the world.



DYNAMIC & CSR commitments





CARBON FOOTPRINT AND ANNUAL MONITORING

Since 2021, Dynamic has introduced an annual calculation of its carbon footprint. We have established rigorous annual monitoring of our carbon emissions in order to measure our progress and adjust our strategies for the coming years. This approach enables us to monitor changes in our environmental impact and adapt as necessary in order meet the challenges of climate change.

POSITIONING DYNAMIC IN 2023 AS ONE OF THE SECTOR'S "BEST PERFORMERS"

We recently assessed Dynamic's environmental performance for 2023 in terms of carbon emissions. The results are below:





This comparison highlights our position in relation to industry averages, reflecting our need for continuous improvement while placing our performance in the wider industry context.



In line with the Paris Agreements and the National Low Carbon Strategy:

- Average annual reduction target of 4.2% for scopes 1 and 2 (direct emissions linked to production).
- Average annual reduction target of 2.5% for Scope 3 (indirect emissions).

These objectives reflect our determination to make an active contribution to the energy transition and to reduce our environmental footprint.



ACTIONS WE HAVE ALREADY COMPLETED:

We have already taken a number of concrete steps to reduce our environmental impact:

On scopes 1 and 2:

Concerted practical efforts to reduce energy consumption:

- Gradual renewal of plastic injection machines for models that consume less energy
- Insulation work: Improving the insulation of our facilities
- **Switch to LED lights**: Replacing traditional light fittings with LEDs to reduce our energy consumption.

On scope 3:

- Raising environmental awareness: Raising awareness in the purchasing department to promote sustainable practices and reduce air freight
- The Chamber of Commerce and Industry's "Eco-production" programme: Integration of this programme in 2024 to innovate and offer eco-designed products in line with our sustainability objectives.

SERIES

PROFESSIONNAL SERIES

For your professions

CATERING COMMERCIAL



Dynamix® Series	PAGE 14 to 21
Junior Series	PAGE 22 to 25
Electrical vegetable	
slicer Series	PAGE 56 to 59

Food processor Series	PAGE 60
Dynacube Series	PAGE 62
Salad spinner Series	PAGE 64

COLLECTIVE CATERING



Master Series	PAGE 30 to 35
SMX Series	PAGE 36 to 39
Bratt Pan Series	PAGE 40
Easymix Series	PAGE 42 to 45
Ricer tool Series	PAGE 48

Turbo liquidizer Series	PAGE 50 to 55
Electrical vegetable slicer Series	PAGE 56 to 59
Food processor Series	PAGE 60
Salad spinner Series	PAGE 64

BAKERS & PASTRY CHEFS



MD95+ Series	PAGE 12
Dynamix® Series	PAGE 14 to 21
Junior Series	PAGE 22 to 25





MD95+ Series	PAGE 12
Dynamix® Series	PAGE 14 to 21
Junior Series	PAGE 22 to 25

BUTCHERS & CATERERS



Dynamix® Series	PAGE 14 to 21
Junior Series	PAGE 22 to 25
Master Series	PAGE 34 to 39
Electrical vegetable	PAGE 56 to 59

Food processor Series	PAGE 60
Dynacube Series	PAGE 62
Salad spinner Series	PAGE 64



Table of contents

PROFESSIONNAL CATALOGUE 2025

Global network	p. 2
Dynamic® 2025 Series	p. 3
Commitments	p. 6
Our ranges for your professions	p. 8
MD95+	p. 12
Dynamix® Nomad	p. 15
Dynamix® DMX V2	p. 16
Dynamix® DMX	p. 18
Accessories & Packs Dynamix®	p. 20
Junior	p. 22
Accessories & Packs Junior	p. 25
Senior	p. 26
Accessories & Packs Senior	p. 29
Master	p. 30
Packs Master	p. 33
Accessories Master	p. 35
SMX	p. 36
Accessories SMX	p. 39
Bratt Pan	p. 40
Easymix	p. 42
Mixers supports	p. 47
Ricer tool	p. 48
Turbo liquidizer	p. 50
Turbo liquidizer accessories	p. 54
Combined & Vegetable Slicers	p. 56
Accessories & Packs	p. 58
Table top food processor & Blend&Mix	p. 60
Manual vegetable slicer	p. 62
Salad spinners	p. 64
Various	p. 66
Sales supports marketing	p. 67
News, online store & Customer Service	p. 68
General sales conditions	p. 69

MD95+

PROFESSIONNAL SERIES

MONOBLOCK EQUIPMENT | 250 W | 1 to 8 L



A small and robust appliance.





+ Robustness

Stainless steel monobloc for daily and professional use.

Additional slots for improved engine cooling.


+ Ergonomic design

New design for a better handle.

+ Hygiene

One-click speed control LED display for increased precision 4 or 2 blade knife for versatile production (ganache, icing, gravy, etc.)







1 TO 8 L

MD 95+

Knife 4 blades
Output 250 W
Total length 420 mm
Shaft length 160 mm
Bell diameter 55 mm

Weight / Packaged 1,3 kg / 1,5 kg

 Speed R.P.M
 11 500 / 3000 to 11 500

 Item code
 MX180 / MX181

OMAD

PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT | 2 000 mAh 12 Vdc | 1 to 8 L



Wireless, the freedom of movement in the kitchen.





Performance

Special tools for a smooth mix.

Robustness

Stainless steel foot.

+ Hygiene

Detachable mixer tool, tube and bell 100% in stainless steel for easy cleaning.

WITH STANDARDS CE











Dynamix® Nomad 160*

Knife	2 blades
Output	2 000 mAh 12Vdc
Total length	450 mm
Tube length + bell	160 mm
Bell diameter	55 mm
Weight / Packaged	1,1 kg / 1,9 kg
Speed R.P.M	10 000
Item code	MX130

Dynamix® Nomad 190*

•	
Knife	2 blades
Output	2 000 mAh 12Vdc
Total length	480 mm
Tube length + bell	190 mm
Bell diameter	66 mm
Weight / Packaged	1,5 kg / 2,2 kg
Speed R.P.M	10 000
Item code	MX140

^{*} Others accessories (except blender) available separately.



Compact size and low battery weight for effortless work.
Quick and easy remplacement.



Delivered with a charger lithium-ion battery. (Charging time 45 minutes)

Charger

Item code AC590

Battery

Item code AC585

DYNAMIX® V2

PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT | 220 / 250 W | 1 to 8 L



Two speeds for ultra-fast adjustment.





- + Performance
 - 2 speeds (8 000 rpm and 13 000 rpm).
- + Robustness

Stainless steel foot.

+ Hygiene

Detachable mixer tool, tube and bell 100% in stainless steel for easy cleaning.

+ Comfort

Lightness for easy use.

+ Versatility

Various accessories, whisk, Dynacutter bowl, ricer tool, Blender accessory.

Available in 3 colors

Orange color in standard



Dynamix® 160 V2



Orange / Black Item code Red / Black Item code White / Black

MX055

MX056

Item code MX057

Dynamix® 190 V2



Orange / Black Item code Red / Black Item code White / Black

MX095

MX096

Item code White / Black Item code

MX097





Dynamix® DMX 160 V2*

2 blades Output 220 W 395 mm Total length Shaft length 160 mm Bell diameter 55 mm Weight/ Packaged 1 kg / 1,2 kg Speed 1 R.P.M. 8 000 13 000 Speed 2 R.P.M. Item code According to colors





Dynamix® DMX 190 V2*

Knife 4 blades Output 250 W Total length 425 mm 190 mm Shaft length Bell diameter 66 mm Weight/ Packaged 1,2 kg / 1,5 kg Speed 1 R.P.M. 8 000 13 000 Speed 2 R.P.M. Item code According to colors

* Others accessories available separately.

DYNAMIX

PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT | 220 / 250 W | 1 to 8 L



Specially designed for small preparations, sauces, and emulsions.





+ Performance

Special tools for a smooth mix.

+ Robustness

Stainless steel foot.

- Usability Quickly accessible speed control.
- + Hygiene

Detachable mixer tool, tube and bell 100% in stainless steel for easy cleaning.

Comfort

Lightness for easy use.

+ Versatility

Various accessories, whisk, Dynacutter bowl, Ricer tool, Blender accessory.







Dynamix® DMX 160 Blender

-	
Knife	Hammer Star-shaped
Output	220 W
Total length	395 mm
Shaft length	160 mm
Bell diameter	35 mm
Weight/ Packaged	1,2 kg / 1,5 kg
Speed R.P.M.	3 000 to 13 000
Item code	MX100





Knife 2 blades 220 W Output 395 mm Total length Shaft length 160 mm 55 mm Bell diameter Weight/ Packaged 1 kg / 1,2 kg3 000 to 13 000 Speed R.P.M. MX050 Item code



Dynamix® DMX 190

Knife 4 blades 250 W Output 425 mm Total length Shaft length 190 mm 66 mm Bell diameter Weight/ Packaged 1kg / 1,5 kg3 000 to 13 000 Speed R.P.M. MX090 Item code

Accessories and packs

Accessories available separately.



ACCESSORIES

Item code	Description	Output	Knife	
1 AC515	BM160 DYNAMIX	220W	-	
2 AC514	BM190 DYNAMIX	250W	-	
3 AC521	M160	-	2 blades	
4 AC550	M190	-	4 blades	
5 AC530	M SHAKE 190	-	4 blades	
6 AC560	BLENDER DYNAMIX	-	-	
7 AC540	BLADE PACK			
8 AC516	WHISK DYNAMIX	-	-	
O AC517	RICER TOOL	-	-	
10 AC518	CUTTER BOWL	-	-	
① AC510	GRADUATED BOWL	-	-	
(2) AC513	STAINLESS STEEL JUG	-	-	

the graduated bowl







PACKS

Item code	Description	AC515	AC514	AC521	
MF052	DYNAMIX COMBI 160	•		•	
MF050	DYNAMIX TRIO 160	•		•	

















AC550

AC530









Reverse blades

Suitable induction

SI	peed R.P.M.	Bell diameter	Capacity
3 (000 / 13 000	-	-
3 (000 / 13 000	-	-
3 (000 / 13 000	55 mm	1 to 4 L
3 (000 / 13 000	66 mm	1 to 8 L
3 (000 / 13 000	66 mm	1 to 8 L
3 (000 / 13 000	-	1 to 4 L
	600 / 2500	-	1 to 4 L
	70/300	-	1 to 5 Kg
	600/2500	-	0.8 L
	-	-	1 L
	-	-	3 L

AC560

21

AC517

AC516

JUNIOR

PROFESSIONNAL SERIES

MONOBLOCK EQUIPMENT | 270 W | 1 to 25 L



the lightest on the market in its category.





+ Performance

Special tools for a smooth mix.

★ Robustness

Stainless steel foot.

+ Usability

Variable speed easily switchable.

+ Hygiene

Detachable mixer tool, tube and bell 100% in stainless steel for easy cleaning.

+ Comfort

Lightness for easy use.

+ Versatility

Various accessories, whisk, Dynacutter bowl, Ricer tool, Blender accessory.

+ Safety

Unlocking safety feature.





Junior MX 225

Knife
Output
Total length
Shaft length
Weight/ Packaged
Speed R.P.M.
Item code

2 blades 270 W 505 mm 225 mm 1,7 kg / 2 kg 12 000 MX020 / MX020.V



Junior Whisk

Output
Total length
Shaft length
Weight/ Packaged
Speed R.P.M.
Item code

270 W 500 mm 185 mm 1,4 kg / 1,7 kg 300 to 2 000 FT005


Accessories and packs

JUNIOR DETACHABLE EQUIPMENT | 270 W | 1 to 25 L Accessories available separately.



ACCESSORIES

Item code	Description	Output	
1 AC100	BM JUNIOR	270W	
2 AC101	M225	-	
3 AC105	М300	-	
4 AC066	BLENDER JUNIOR	-	
5 AC102	WHISK JUNIOR	-	
6 AC103	RICER TOOL JUNIOR	-	
7 AC104	CUTTER BOWL JUNIOR	_	





PACKS

Item code	Description	AC100	AC101	
MX022	JUNIOR COMBI 225	•	•	
MX021.V	JUNIOR DMX 225	•	•	
MX110	JUNIOR DMX 225 BLENDER	•		









----- 185 mm





Speed R.P.M.		Bell diameter	Capacity
3 000 / 12 000		-	-
3 000 / 12 000		-	5 to 25 L
3 000 / 12 000		55 mm	5 to 25 L
3 000 / 12 000		66 mm	1 to 10 L
600 / 2 500		66 mm	1 to 10 kg
70 / 300		66 mm	1 to 5 L
600 / 2 500		-	0,8 L
AC105	AC066	AC102	AC103

SENIOR

PROFESSIONNAL SERIES

MONOBLOCK EQUIPMENT | 350 W | 20 to 40 L



An ideal solution for traditional and collective catering.





- Performance Special tools for a smooth mix.
- + Robustness
 Stainless steel foot.
- Usability Variable speed easily switchable.
- + Hygiene Detachable accessories for easy cleaning.
- + Comfort
 Lightness for easy use.
- **+ Versatility**Various accessories, whisk, Dynacutter bowl, ricer tool.
- Safety Unlocking safety feature.













300 mm

Senior MX 300

 Knife
 3 blades

 Output
 350 W

 Total length
 600 mm

 Shaff length
 300 mm

 Weight/ Packaged
 2,4 kg / 2,9 kg

 Speed R.P.M.
 9 500

 Item code
 MX007 / MX007.V

COMPLIANT WITH STANDARDS



Accessories and packs

SENIOR DETACHABLE EQUIPMENT | 350 W | 5 to 40 L Accessories available separately.



ACCESSORIES

Item code	Description	Output	
1 AC005	BM SENIOR	350 W	
2 AC006	M300	-	
3 AC016	M400	-	
4 AC007	WHISK SENIOR	-	
5 AC004	RICER TOOL SENIOR	-	
6 AC055	STAINLESS STEEL CUTTER BOWL SENIOR	-	



PACKS

Item code	Description	AC005	AC006	
MF003	SENIOR COMBI 300	•	•	
MX006	SENIOR DMX 300	•	•	














6

Speed R.P.M.	Capacity
2 800 / 9 500	-
2 800 / 9 500	20 to 40 L
2 800 / 9 500	20 to 40 L
300 / 900	5 to 20 L
100 / 600	10 to 15 kg
400 / 1 500	5 L









AC016 AC007 AC004 AC055

29

MASTER

PROFESSIONNAL SERIES

MONOBLOCK EQUIPMENT | 600 W | 5 to 100 L







- + Performance
 - Special tools for a smooth mix.
- + Robustness

Stainless steel foot.

+ Usability

Variable speed easily switchable.

+ Hygiene

Detachable foot and bell without tools, tube and bell 100% in stainless steel for easy cleaning.

+ Comfort

Lightness for easy use.

+ Versatility

Various accessories, whisk, Dynacutter bowl, ricer tool, blender foot.

+ Safety

Unlocking safety feature.

COMPLIANT CE



Master MX 91-410

Knife 3 blades Output 600 W Total length 715 mm 410 mm Shaft length Weight/ Packaged 3,4 kg / 3,8 kg 10 500 Speed R.P.M.

Master MX 91-500

Item code

Item code

Knife 3 blades 600 W Output 800 mm Total length Shaft length 500 mm Weight/ Packaged 3,6 kg / 4 kg 10 500 Speed R.P.M.



MX005 / MX005.V

MX045 / MX045.V









MX004 / MX004.V

Master MX 410

Item code

Knife 3 blades
Output 600 W
Total length 720 mm
Shaff length 410 mm
Weight/ Packaged 3,5 kg / 4,1 kg
Speed R.P.M. 10 500

NADE IN FRANCE Dynamic 350 mm

Master MX 350

 Knife
 3 blades

 Output
 600 W

 Total length
 700

 Shaft length
 350

 Weight/ Packaged
 3,8 kg / 4

 Weight/ Packaged
 3,8 kg / 4,1 kg

 Speed R.P.M.
 10 500 / 3 000 to 10 500

 Item code
 MX350 / MX350.V



MASTER

PROFESSIONNAL SERIES

MONOBLOCK / DETACHABLE EQUIPMENT 600~W~|~5~to~100~L













Whisk Master

Output
Total length
Shaft length
Weight/ Packaged
Speed R.P.M.
Item code

600 W 650 mm 245 mm 3,3 kg / 3,7 kg 300 to 900 FT001







Master DMX 350

 Knife
 3 blades

 Output
 600 W

 Total length
 700

 Shaft length
 350

 Weight/ Packaged
 4,5 kg

 Speed R.P.M.
 3 000 / 10 500

 Item code
 MX350.H


Accessories and packs

MASTER DETACHABLE EQUIPMENT | 600 W | 5 to 100 L Accessories available separately.



ACCESSORIES

Item code	Description	Output	
1 AC001	BM MASTER	600 W	
2 AC350.H	M350	-	
3 AC002.H	M410.H	-	
4 AC500	M500	-	
5 AC202	FM420	-	
6 AC200	FM600	-	
7 AC201	FM700	-	
8 AC055	CUTTER BOWL	-	
AC003	WHISK MASTER	-	
10 AC070	BLENDER MASTER	-	
	RICER TOOL MASTER	-	





PACKS

Item code	Description	AC001	AC002.H	
MF002.H	MASTER COMBI 410.H	•	•	
MF001.H	MASTER TRIO 410.H	•	•	
MX120	MASTER DMX 410 BLENDER	•		
MX003.H	MASTER DMX 410.H	•	•	













A selection of knives (standard or serrated)









Speed R.P.M.	Capacity
3 000 / 10 500	-
3 000 / 10 500	20 to 100 L
3 000 / 10 500	20 to 100 L
3 000 / 10 500	20 to 100 L
100 / 600	20 to 200 L
100 / 600	20 to 200 L
100 / 600	20 to 200 L
400 / 1 500	5 L
300 / 900	5 to 20 L
3 000 / 10 500	5 to 40 L
100 / 600	10 to 30 kg







AC	0003	AC070	AC004

SMX

PROFESSIONNAL SERIES

MONOBLOCK EQUIPMENT 600 / 850 W | 75 to 300 L



I feavy-duty, designed for communities.





+ Performance

Special tools for a smooth mix.

Robustness

Stainless steel foot.

Hygiene

Completely removable foot and bell without tools. Tube and bell 100% stainless steel for easy cleaning.

Comfort

Easy use thanks to its support.

+ Safety

Unlocking safety feature.

COMPLIANT CE







75 TO 300 L

SMX 600 Turbo

Knife 3 blades 850 W Output Total length 800 mm Shaft length 530 mm Weight/ Packaged 6,1 kg / 7,7 kg 11 000 Speed R.P.M. Item code **MX002T**











Knife
Output
Total length
Shaft length
Speed R.P.M.
Weight/ Packaged
Item code

SMX250ES
3 blades
850 W
575 mm
305 mm
11 000
5,3 kg / 6,8 kg
MX041ES

SMX350ES
3 blades
850 W
626 mm
356 mm
11 000
5,5 kg / 7 kg
MX042ES

3 blades
850 W
676 mm
406 mm
11 000
5,7 kg / 7,2 kg
MX043ES

SMX450ES

SMX550ES
3 blades
850 W
728 mm
458 mm
11 000
5,9 kg / 7,4 kg
MX044ES

SMX

PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT | 1000 W | 75 to 300 L





3 blades Knife 925 W Output 870 mm Total length Shaft length 600 mm

Weight/ Packaged 6,5 kg / 8 kg 11 000 Speed R.P.M. Item code **MX040T**

SMX 800 Turbo


3 blades 1 000 W 960 mm 680 mm 6,7 kg / 8,2 kg 11 000 MX001T

SMX Blender Turbo

Hammer Star-shaped 1 000 W 860 mm 580 mm 6,7 kg / 8,2 kg 11 000 MX125T

Accessories

Accessories available separately.



	BM SMX Turbo	Attachment 700 Turbo	Attachment 800 Turbo	Blender SMX Turbo
Output	1 000 W	-	-	-
Speed R.P.M.	-	11 000	11 000	11 000
Item code	AC052T	AC075T	AC076T	AC072T



BRATT PAN

PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT 600 / 1000 W | 5 to 300 L



Specifically designed for low-profile, high-capacity containers.





+ Performance

Special tools for a smooth mix.

+ Robustness

Stainless steel foot.

+ Usability

Quick-access speed control. Prevent MSDs with our new line, perfect for communal settings and heavy use.

+ Hygiene

Completely removable foot and bell without tools. Tube and bell 100% stainless steel for easy cleaning.

+ Comfort

Easy use thanks to its support.

+ Safety

Unlocking safety feature.



MASTER SERIES



BLENDER



Knife

Output

Total length

Shaft length

Speed R.P.M.

Item code

Appliance diameter



3 000 / 10 500

AC260.HC



Blender CC MASTER 300 mm

3 000 / 10 500

AC265



MASTER 3 blades Hammer Star-shaped 600 W 628 mm 300 mm



3,7 Kg / 4,2 Kg 122 mm 3 000 / 10 500 MX160



Hammer Star-shaped 600 W 628 mm 300 mm 4,0 Kg / 4,5 Kg 122 mm 3 000 / 10 500 MX165

SMX SERIES





BLENDER





M300 CC **SMX TURBO**

AC250T





3 blades Hammer Star-shaped 170 mm 170 mm 11 000 11 000

AC255T



Blender CC SMX TURBO SMX 300 CC

3 blades 1000 W 609 mm 300 mm 5,9 kg / 7,4 kg 236 mm 11 000 MX150T

300 mm



SMX 300 CC BLENDER

Hammer Star-shaped 1000 W 609 mm 300 mm 6,1 kg / 7,6 kg 300 mm 11 000 MX155T

EASYMIX

PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT | 600 W | 5 to 200 L



Effortless mixing, uttimate comfort!



+ Versatility

Available in wall-mounted, mobile, or fixed versions.

+ Comfort and Ergonomics

Reduces musculoskeletal disorders thanks to an assistance arm.

+ Hygiene

Designed with certified food-grade materials.

+ Safety

Includes an emergency and automatic stop.





MASTER SERIES

Available in February 2025.

WALL TABLE ROLLING







Item Code	Description	Output	Series	Speed R.P.M.	Capacity
EMM003H	EASY MIX MASTER DMX 410.H	600 W	Wall	3 000 / 10 500	20 to 100 L
ЕМТООЗН	EASY MIX MASTER DMX 410.H	600 W	Table	3 000 / 10 500	20 to 100 L
EMT203	EASY MIX WHISK MASTER	600 W	Table	300 / 900	5 to 20 L
EMR003H	EASY MIX MASTER DMX 410.H	600 W	Rolling	3 000 / 10 500	20 to 100 L
EMR165	EASY MIX MASTER DMX 300 CC BLENDER	600 W	Rolling	3 000 / 10 500	5 to 40 L
EMR200	EASY MIX MASTER DMF 600	600 W	Rolling	100 / 600	20 to 200 L
EMR201	EASY MIX MASTER DMF 700	600 W	Rolling	100 / 600	20 to 200 L
EMR202	EASY MIX MASTER DMF 420	600 W	Rolling	100 / 600	20 to 200 L

 $^{^{\}star}$ For additional accessories, please refer to pages 34 and 35 of the catalogue.

EASYMIX

PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT 925 / 1 000 W | 4 to 300 L



Effortless mixing, ultimate comfort!



+ Versatility

Available in wall-mounted, mobile, or fixed versions.


Comfort and ErgonomicsReduces musculoskeletal disorders thanks to an assistance arm.

+ Hygiene

Designed with certified food-grade materials.

+ Safety

Includes an emergency and automatic stop.





SMX SERIES

Available in February 2025.

WALL TABLE ROLLING



Item Code	Description	Output	Series	Speed R.P.M.	Capacity
EMM001	EASY MIX SMX 800 TURBO	1 000 W	Wall	11 000	75 to 300 L
EMM040	EASY MIX SMX 700 TURBO	925 W	Wall	11 000	75 to 300 L
EMM125	EASY MIX SMX BLENDER TURBO	1 000 W	Wall	11 000	75 to 300 L
EMM150	EASY MIX SMX 300 TURBO	1 000 W	Wall	11 000	4 to 100 L
EMM155	EASY MIX SMX 300 BLENDER TURBO	1 000 W	Wall	11 000	4 to 100 L
EMT001	EASY MIX SMX 800 TURBO	1 000 W	Table	11 000	75 to 300 L
EMT040	EASY MIX SMX 700 TURBO	925 W	Table	11 000	75 to 300 L
EMT125	EASY MIX SMX BLENDER TURBO	1 000 W	Table	11 000	75 to 300 L
EMR001	EASY MIX SMX 800 TURBO	1 000 W	Rolling	11 000	75 to 300 L
EMR040	EASY MIX SMX 700 TURBO	925 W	Rolling	11 000	75 to 300 L
EMR125	EASY MIX SMX BLENDER TURBO	1 000 W	Rolling	11 000	75 to 300 L
EMR150	EASY MIX SMX300 TURBO	1 000 W	Rolling	11 000	4 to 100 L

 $^{^{\}star}$ For additional accessories, please refer to pages 38 and 39 of the catalogue.





Pan support brackets (For your safety and your comfort.)

	SM 4	SM 6	SM 8	SM 10	SM 12	SA
Weight	1,9 kg	2,3 kg	2,6 kg	2,8 kg	3,2 kg	0,7 kg
Diameter	400 mm	600 mm	800 mm	1 000 mm	1 200 mm	Width of the pot rim 55 mm*
Item code	SM001	SM002	SM003	SM004	SM005	SM006

^{*} Maximum diameter of the pot

Wall mounting brackets **Servomix**

300 mm Length Depth 150 mm Height 800 mm Weight 18 kg SM060 Item code



Support Dynamix® orange or black

SM030 / SM030N Item code







Say stop

to musculoskeletal disorders with this hook allowing enhanced manoeuvrability of your large mixers. This hook support is placed directly on the rim of the pot.

Holding hook

For the Master and SMX ranges, included in the dismountable versions.

Item code

SM020

RICER TOOL

PROFESSIONNAL SERIES



ADVANTAGES



- + Robustness
 Stainless steel foot.
- **+ Hygiene**Tube and shaft 100% stainless steel for perfect hygiene.
- **+ Safety**Unlocking safety feature.

MONOBLOCK EQUIPMENT 20 to 100 kg



·· 250 mm ·····

PP520 **PP300** Output 650 W 650 W Total length 870 mm 600 mm Weight / Pack. 4,9 kg / 5,9 kg 4,7 kg / 5,7 kg Speed R.P.M. 500 500 Item code PP001 PP003

DETACHABLE EQUIPMENT **20 to 100 kg**





PP520 plus

Output
Total length
Weight / Pack.
Speed R.P.M.
Item code

450 mm

650 W 870 mm 4,9 kg / 5,9 kg 500 PP002

Accessories

Accessories available separately.



Output Item code 650 W AC221





Speed R.P.M. Item code 150 / 500 AC220 FM PP 150 / 500 AC208

GIGAMIX XS

PROFESSIONNAL SERIES

TURBO LIQUIDIZER | 1,5 / 2,2 Kw 40 to 300 L



Compact design, large capacity!





+ Comfort

Enhanced maneuverability thanks to the brake wheels and easy to store due to its convenient size.

+ Usability

Compact, minimum space requirement.

+ Hygiene

100% stainless steel for easy cleaning.

WITH STANDARDS CE





CONTACT US for more information



Gigamix X\$ Blender Three-phased

Speed R.P.M. Voltage Output Item code 2 800 400 V, three-phased + neutral, 50 Hz 1,5 Kw TB120

Gigamix XS Blender Single-phased

2 800 230 V, single-phased, 50 Hz 1,5 Kw TB120.2

GIGAMIX

PROFESSIONNAL SERIES

TURBO LIQUIDIZER | 2,2 Kw | 40 to 300 L



For your very large preparations.





+ Comfort

Enhanced maneuverability thanks to the brake wheels.

+ Versatility

Various accessories.

+ Usability

Easy storage.

+ Hygiene

100% stainless steel for easy cleaning.

+ Output

Powerful motor of 2,2 KW.

+ Performance

Time saving and maximum operating speed.



OPTIONAL Variable speed control 2800 / 4000 R.P.M.
Option compulsory for single-phase.
Factory installed only.
Item code TB010





	Standard Version				
	Gigamix 460-500	Gigamix 460-500 V.V Variable speed included	Gigamix Blender	Gigamix Blender V.V Variable speed included	
Mixer attachment only	570 mm	570 mm	570 mm	570 mm	
Speed R.P.M.	4 000	2 800 / 4 000	4 000	2 800 / 4 000	
Voltage*	400 V, three-phased + neutral, 50 Hz	400 V, three-phased + neutral, 50 Hz*	400 V, three-phased + neutral, 50 Hz	400 V, three-phased + neutral, 50 Hz*	
Output	2,2 Kw	2,2 Kw	2,2 Kw	2,2 Kw	
Item code	TB001	TB002	TB020	TB021	

	Lowered	d Version	Removak	ole Version
	Gigamix 460-210	Gigamix 460-210 V.V Variable speed included	Gigamix DMX	Gigamix DMX V.V Variable speed included
Mixer attachment only	570 mm	570 mm	570 mm	570 mm
Speed R.P.M.	4 000	2 800 / 4 000	4 000	2 800 / 4 000
Voltage*	400 V, three-phased + neutral, 50 Hz	400 V, three-phased + neutral, 50 Hz*	400 V, three-phased + neutral, 50 Hz	400 V, three-phased + neutral, 50 Hz*
Output	2,2 Kw	2,2 Kw	2,2 Kw	2,2 Kw
Item code	TB005	TB006	TB008	TB009

Accessories

Accessories available separately.



Item code	Description	Speed R.P.M.	Length	Diameter
1 TB014	Whisk Gigamix Variable speed compulsory	800 / 1 600	410 mm	170 mm
2 TB004	Blender Gigamix	2 800 / 4 000	93 mm	98 mm
3 TB012	Mixer tool Gigamix	2 800 / 4 000	133 mm	280 mm
4 TB013	Potato tool masher Variable speed compulsory	800 / 1 600	250 mm	165 mm
5 TB012.2	Gigamix bell for bratt pan	-	300 mm	-
6 TB015	Extension arm	-	-	-

Dynapump

With its innovative process, DYNAMIC transfer pump is perfectly adapted to the GIGAMIX blender attachment and allows the effortless and fast transfer of the mixed food preparation into packaging areas or to simply empty the pot quickly.

The DYNAPUMP allows to transfer 100 liters of water (for information, the viscosity of water is equal to 1 centipoise) in 1 minute at maximum speed (4000 rpm).



Gigamix gun Optional

Item code TB040



Dynapump Gigamix
Adaptable to the blender attachment only

Diameter 178 mm
Item code TB030

Empty your pots in a few minutes!









Compatible with the blender attachment only.

COMBINED & VEGETABLE SLICERS

PROFESSIONNAL SERIES

UNTIL 300 KG PER HOUR, SUITABLE FOR 400 COVERS PER SERVICE



With a wide selection of stainless steel discs.





+ Hygiene

All accessories are dishwasher safe.

+ Comfort

Silent motor: 50Db without vibrations.

Usability

Designed to be used by right and left-handed.

+ Performance

Increased productivity thanks to large discs (largest diameter on the market).

COMPLIANT CE





V.S. Speed R.P.M. F.P. Speed R.P.M.

Functions

Output Item code

Combined 2 Speeds

320 & 640 1 500 & 3 000

Pulse & Reverse*

1 100 W CL312

Combined Variable Speed

320 to 720 350 to 3 500

Pulse & Reverse*

1 100 W CL322

Combined VS

Digital display screen

320 to 720 350 to 3 500

Pulse, Reverse*, Timer* & Countdown timer*

1 100 W CL350

^{*} Food processor only.





 Speed R.P.M.
 320
 320 and 640

 Functions

 Speed

 Output
 1 100 W
 1 100 W

 Item code
 CL100
 CL110



Vegetable slicer VS VS Screenn Control panel Digital display screen

Control panel Digital display scre
320 to 720
Pulse Pulse

Pulse 5 levels 1 100 W CL150

5 levels

1 100 W

CL121

Accessories available separately.



Slicing disc

Item code	
CL1005	0,5 mm
CL1015	1,5 mm
CL1025	2,5 mm
CL1030	3 mm
CL1040	4 mm
CL1050	5 mm
CL1070	7 mm
CL1080	8 mm
CL1090	9 mm
CL1110	11 mm
CL1120	12 mm
CL1130	13 mm

Julienne disc

Item code	
CL3032	3x2 mm
CL3042	4x2 mm
CL3044	4x4 mm
CL3055	5x5 mm
CL3052	5x2 mm
CL3088	8x8 mm
CL3010	10x10 mr




Grating disc

Item code	
CL2002	2 mm
CL2003	3 mm
CL2005	5 mm
CL2009	9 mm



Dicing set

Item code CL4008 8x8 mm CL4010 10x10 mm



Disc supportAdjustable unit table or wall disc support.

CL7000 Item code



French fries set

Item code

CL5008 8x8 mm





Accessories available separately.

Complete Vegetable Slicer Cover, pusher handle, tray.

Item code

CL9000





Complete food processor kit Bowl, lid, smooth blade

Item code

CL9001



Collective Catering PACK

- + 4 slicing discs: 0,5 mm, 2,5 mm, 5 mm and 11 mm
- +2 grating discs: 2 mm and 5 mm
- + 2 julienne discs: 4x4 mm and 10x10 mm

Item code CL6003



Brasserie / Catering PACK

- + 3 slicing discs: 1,5 mm, 3 mm and 5 mm
- + 1 grating disc : 2 mm
- + 3 julienne discs : 4x4 mm, 8x8 mm

and 10x10 mm

Item code CL6002



Buffet PACK

- + 3 slicing discs: 1,5 mm, 3 mm and 5 mm
- +1 grating disc: 2 mm

Item code CL6001



Pizza PACK

- + 2 slicing discs: 2,5 mm and 4 mm
- + 1 grating disc: 5 mm

Item code CL6000

TABLE TOP FOOD PROCESSOR

BLEND & MIX

— PROFESSIONNAL SERIES

FROM 100G TO 4KG, SUITABLE FOR 20 TO 100 COVERS PER SERVICE



Emulsify, mix, and chop in a few seconds.





- + Hygiene
 All accessories are dishwasher safe.
- Comfort

Silent motor: 50Db without vibrations.





Delivered with standard knife

Food	
Proce	ssor
1 Spe	ed

 Speed R.P.M.
 1 500

 Functions

 Speed

 Output
 1 100 W

 Item code
 CL200

Food Processor 2 Speeds

1 500 and 3 000 Pulse & Reverse

-

1 100 W CL212

Food Processor VS

Control panel Convertible into a vegetable slicer

350 to 3 500 Pulse & Reverse

10 levels 1 100 W

CL222

Food Processor VS Screen

Digital display screen Convertible into a vegetable slicer

350 to 3 500 Pulse & Reverse, timer & countdown timer

10 levels 1 100 W CL250





FUNCTION 2 IN 1

Ideal for soft diet preparations

Delivered with a standard blade and a micro-serrated blade

Blend & Mix 2V

Speed R.P.M. 1 500 and 3 000
Functions Pulse & Reverse
Speed Output 1 100 W

CL412

Item code

Blend & Mix VV

Control panel
350 to 3 500
Pulse & Reverse

10 levels 1 100 W CL422

Blend & Mix VV Screen

Digital display screen

350 to 3 500 Pulse & Reverse, timer & countdown timer

10 levels 1 100 W CL450

Accessories



Item code CL8001



Serrated blade

Item code CL8002



Micro-serrated blade

Item code CL8003

DYNACUBE

PROFESSIONNAL SERIES

MANUAL VEGETABLE SLICER
30 to 50 kg/H



Mol manual vegetable slicer in the world.





- + Fast
 Quick installation.
- **+ Hygiene**Easy to clean.
- + Comfort
 Easy transport and storage.
- Versatility Specific tools to allow different cuts.
- Safety No direct contact with the blade.





	0+2	0+8	0+4	0+6	0+0	0+0
	Dynacube	Dynacube	Dynacube	Dynacube	Dynacube	Dynacube
	+ grids 5,5x5,5	+ grids 10x10	+ grids 8,5x8,5	+ grids 17x17	+ grids 14x14	+ grids 7x7
	+ pusher	+ pusher	+ pusher	+ pusher	+ pusher	+ pusher
Diameter	400 mm	400 mm	400 mm	400 mm	400 mm	400 mm
Total height	330 mm	330 mm	330 mm	330 mm	330 mm	330 mm
Weight / Packaged	3,1 / 4,4 kg	3,1 / 4,4 kg	3,1 / 4,4 kg	3,1 / 4,4 kg	3,1 / 4,4 kg	3,1 / 4,4 kg
Item code	CL007	CL006	CL003	CL009	CL008	CL005
	2	3	4	5	6	7
	Kit grids 5,5x5,5 + pusher	Kit grids 10x10 + pusher	Kit grids 8,5x8,5 + pusher	Kit grids 17x17 + pusher	Kit grids 14x14 + pusher	Kit grids 7x7 + pusher
Item code	AC065	AC062	AC061	AC064	AC063	AC060

SALAD SPINNERS

PROFESSIONNAL SERIES

MANUAL & ELECTRIC | 5 to 20 L



Indulge in the originals!

Registred models





- + Comfort
 100% watertight to avoid water leakage.
- + Performance Intensive use.
- + Robustness
 Gear with a stainless steel pin incorporated.



EM98 Electric

Diameter 430 mm

Total height 630 mm

Weight/ Packaged 8,3 kg / 10 kg

Output 200 W

Speed R.P.M. 500

Recommended for 3 to 5 lettuce heads

Item code

Wit (ru

With timeout (running time 1 min)

Item code

E003.T



Stabilising base (E20 & E20 SC) Set of gears for both (E10 - E20) Set of gears (E20 SC) Item code

AC019 2815.1 2815.2





E5SC Manual Sealed cover

Diameter
Total height
Weight/ Packaged
Recommended for
Item code

275 mm 250 mm 1,6 kg

1 to 2 lettuce heads

E007

E10 Manual*

Diameter
Total height
Weight/ Packaged
Recommended for
Item code

330 mm 320 mm 2,4 kg / 3 kg 2 to 3 lettuce heads E001

COMPLIANT WITH STANDARDS

L'Originale

201



E20 Manual*

Diameter
Total height
Weight/ Packaged
Recommended for
Item code

430 mm 410 mm 3,6 kg / 4,8 kg 3 to 5 lettuce heads E002

E20 SC Manual* Sealed cover

Diameter
Total height
Weight/ Packaged
Recommended for
Item code

430 mm 410 mm 3,6 kg / 4,8 kg 3 to 5 lettuce heads E004

VARIOUS

PROFESSIONNAL SERIES

100 to 150 CITRUS FRUIT PER HOUR



Ideal for effortlessly juicing a large guantity of citrus fruits.



Delivered with 2 juicing cones





Robustness

Quiet and very sturdy.

Usability


Easy and quick dismantling and re-assembling for easy cleaning.

Dynajuicer

Lemons, oranges and grapefruit juicer.

Diameter	220 mm
Total height	330 mm
Output	200 W
Speed R.P.M.	1 500
Weight	3,7 kg
Item code	PA001

------I 1000 / 1200 mm



FMA 90

 Length
 1 200 mm

 Weight
 1,1 kg

 Capacity
 20 to 200 L

 Item code
 AC210

FMA 91

1 000 mm 1,1 kg 20 to 200 L AC211

SALES SUPPORTS

Marketing

PLAY RACK

A practical and great way to visually display Dynamic products (Please contact us for more information).





PACKAGING

The packaging is also part of Dynamic merchandising.


Packaging is a powerfull method to recognize the brand and identify the products.

Website

-www.dynamicmixers.com



- ♣ Photos and videos illustrating our products.
- → Download technical sheets and flyers.
- ◆ Discover recipes with DYNAMIC equipment.
- Contact us easily thanks to the complete contact form.



Online store & Customer service

www.sav-dynamicmixers.com



By creating your Dynamic account, you will be able to :

- ◆ Order the totality of our range (except Turbo liquidizer and Food processor / Electrical vegetal slicers) and our spare parts.
- Access the media library and the professional space.
- → Watch tutorials.

General sales terms and conditions (Applicable to January 1st 2025)

1 - GENERAL TERMS

In the absence of a special written agreement, all purchase orders imply the full and legal acceptance of these terms and conditions by the customer, notwithstanding any terms to the contrary that may feature in the customer's general purchase terms and conditions.

2 - ORDERS - QUOTES

Order only become fi nal after written or tacit acceptance by DYNAMIC, hereafter referred to as "the Company". If a quote is provided, the order only becomes final after the quote is returned signed to the Company by letter, fax or any other means of transmission, within eight days of the quote being issued. Any changes to the order or the quote must be the subject of a written agreement between the Company and the customer.

3 - LEAD TIMES

Deliveries are made depending on supply and transport availability in the order in which the orders arrive, and according to the indications provided by the Company in its acceptance. The Company is authorised to make total or partial deliveries. Lead times are given for information and are not binding on the Company, especially in the event of force majeure or acts of God. No late delivery may entitle to the application of penalties or the payment of compensation, or deduction from the price or the cancellation of the order. In all cases, a customer shall only receive delivery if their situation relative to the Company is in order.

4 - DELIVERIES

Prices are given excluding VAT, FCA, packaging included Unless there is a special indication in the order or the accepted quote, all orders are shipped with transport costs added. At the costs for express delivery are fully payable by the customer who requests this service. The goods become the property of the customer when they leave the Company shop floor, on condition of the application of the ownership clause below. Consequently all transport, customs, insurance and handling operations are at the customer's expense and at their risks and perils. The customer must make sure the delivery is compliant and check for possible damage and missing items and, where applicable, issue the necessary reserves to the relevant organisations and transporters by registered letter with acknowledgement of receipt within 72 hours. The customer shall notify the Company of this.

5- RETURNS

Any product returns must be the subject of a prior formal agreement between the Company and the customer. If accepted, 10% will be deducted for costs. Special orders cannot be returned.

6 - WARRANTY

The Company is bound to deliver goods that are compliant with the contract and shall respond to compliance faults that are found on delivery. To be compliant with the contract, the goods must:

- Be fit for the purpose expected of a similar item and, where applicable, correspond to the description given by the Company and have the properties that the Company presented to the customer in the form of a sample or model:
- Have the characteristics that a customer may legitimately expect considering the claims made by the Company, especially in advertising;
- Or have the characteristics mutually defi ned between the parties;

- Or be fit for any special purpose sought by the customer, made known to the Company and accepted by the Company; Electric appliances have a one year manufacturing defect warranty starting from the purchase date. The warranty covers all parts and labour. The warranty covers the replacement of any defective parts but does not cover damage from dropping or impacts, damage caused by improper use, incorrect connection to the power supply, or the failure to follow the usage conditions described in the instructions.

7 - PRICE

The prices and information featuring in the catalogues or other Company printed advertising material are only binding on the Company, which reserves the right to make any changes to the sizes, materials or weights of the products presented or described, without any duty to modify products previously delivered or of which the order is ongoing. Goods are invoiced on the basis of the price applicable at the time of the order. Payments are made to the Company headquarters. Unless special terms are agreed, orders are payable in full on shipment of the goods. A discount of 0.5% per full month, generating a proportional reduction in VAT, shall be granted on the total amount excluding VAT in the event of early payment. Any other terms of payment must be the subject of a prior agreement. On failure to pay on the contractual due date, late payment penalties equal to 3 times the legal interest rate shall be due automatically and without notice, starting from the 1st day late. Furthermore, a fixed compensation for debt recovery costs of 40 euros shall be due automatically and without notice. If the debt recovery costs are higher than this amount, additional compensation shall be due on presentation of proof. The Company may also suspend any further deliveries.

8 - OWNERSHIP

The Company retains full ownership of the sold goods until full payment by the customer. However, the risks of loss, theft or deterioration of the goods are exclusively borne by the customer as soon as the goods are made available to them. The failure to pay a term may lead to a claim for existing goods.

9 - COPYRIGHT


The drawings, models, plans and quotes, and more generally all types of document issued by the Company carry the exclusive copyright of the Company: they may not be communicated or performed without its written authorisation. They must be returned on request by the Company.

10 - RENOUNCEMENT

No late delivery, omission or any tolerance by the Company in the exercise of one of its rights resulting from this agreement shall be construed as a renouncement by the Company to the exercise of that right.

11 - JURISDICTION

In the event of a dispute, the Company and the customer in question shall undertake arbitration out of court by a single arbitrator, chosen mutually or, failing this, appointed on request from the most diligent party by the President of the Roche-sur-Yon commercial court. The parties renounce all right of appeal against the decision of the arbitrator which shall be final, and undertake to obey the decision without proceedings or exequatur.



Distributed by:

Please contact the nearest office for any additional information

DYNAMIC FRANCE

Société d'études et réalisations mécaniques dite DYNAMIC 518 Rue Léo Backeland, ZI du Puy Nardon BP 57 - 85290 Mortagne-sur-Sèvre France

Tel. +33 (0)2 51 63 02 72

e-mail: contact@dynamicmixers.com

Siret: SAS - 416450435 - RCS La Roche-sur-Yon: 416 45

A NEW ALTERNATIVE FOR YOUR PREPARATIONS DYNAMIC® WWW.dynamicmixers.com

